LED line LITE

Code: 222304

EAN: 5905378222304

LED bulb GU10 3CCT (2.7K/4K/6.5K) 7W 630lm 230V 120° PC LITE



One bulb, three possibilities – this LED line source features color temperature change (CCT) with a simple switch on the housing. Choose warm, neutral, or cool light at any time, enjoying consistently high luminous efficiency and excellent color rendering. This universal "3 in 1" solution helps reduce inventory and perfectly adapts the light to any arrangement or mood.

3 WARRANTY

IP 20

Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 7 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K • 4000 K • 6500 K
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	08
Luminous efficacy	90
Luminous flux	630 lm

Parameter	Value
Lifetime L70B50	15 000 h
Bulb thread type	GU10
Frequency of the supply voltage	50/60Hz
Beam angle	120°
Power Factor	0,5
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	56 mm
Fixture's diameter	50 mm
Material (housing)	Aluminum+PBT+PVC

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 222304

EAN: 5905378222304


LED bulb GU10 3CCT (2.7K/4K/6.5K) 7W 630lm 230V 120° PC LITE

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Width	50 mm
Height	50 mm
Length	61 mm
Weight	0,033 kg



Bulk packaging

Quantity	100
Width	540 mm
Height	265 mm
Length	145 mm
Weight	3,8 kg



Europallet

Quantity	6000
Height	1,9 m
Quantity in layer	6
Number of layers	13
Bulk quantity	60
Weight	260 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 222304

EAN: 5905378222304

LED bulb GU10 3CCT (2.7K/4K/6.5K) 7W 630lm 230V 120° PC LITE

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**